

LR03 (AAA), LR6 (AA), LR14 (Size C), LR20 (Size D), 6LR61 (9V)

Version No:1.0

According to Regulation (EC) No 1907/2006(REACH) with its amendment Commission Regulation (EU) 2015/830

SDS number: **190701919SHA01**

Issue Date:31/07/2019
REACH.POL.EN

Material Safety Data Sheet

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product Identifier

Product name	LR03 (AAA), LR6 (AA), LR14 (Size C), LR20 (Size D), 6LR61 (9V)
Other means of identification	Not Available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Power the flashlight and remote control
Uses advised against	Not Applicable

1.3. Details of the supplier of the safety data sheet

Supplier name	CID Trading LTD
Address	Friden House, Unit 1 Clayton Wood Bank, Horsforth, Leeds, LS16 6QZ
Telephone	0113 201 1340
Fax	
Emergency telephone	0113 201 1340
Email	sales@cidgroup.co.uk
Importer name	
Address	
Telephone	
Email	

1.4. Emergency telephone number

Association / Organisation	
Emergency telephone numbers	
Other emergency telephone numbers	

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not considered a hazardous mixture according to Reg. (EC) No 1272/2008 and their amendments. Not classified as Dangerous Goods for transport purposes.

Classification according to regulation (EC) No 1272/2008 [CLP]	Not Applicable
--	----------------

2.2. Label elements

Hazard pictogram(s)	Not Applicable
SIGNAL WORD	NOT APPLICABLE

Hazard statement(s)

Not Applicable

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Continued...

LR03 (AAA), LR6 (AA), LR14 (Size C), LR20 (Size D), 6LR61 (9V)

Not Applicable

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**3.1. Substances**

See 'Composition on ingredients' in Section 3.2

3.2. Mixtures

1. CAS No 2. EC No 3. Index No 4. REACH No	%[weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP]
1.1313-13-9 2.215-202-6 3.025-001-00-3 4.Not Available	28-49	<u>manganese dioxide</u>	Acute Toxicity (Inhalation) Category 4, Acute Toxicity (Oral) Category 4; H332, H302
1.7439-89-6 2.231-096-4 3.Not Available 4.Not Available	10-28	<u>iron</u>	Not Classified
1.7440-66-6 2.231-175-3 3.Not Available 4.Not Available	8-22	<u>zinc</u>	Not Classified
1.26062-94-2 2. Not Available 3. Not Available 4. Not Available	8-12	<u>1,4-butylene terephthalate homopolymer</u>	Not Classified
1.1310-58-3 2.215-181-3 3.019-002-00-8 4.Not Available	3-9	<u>potassium hydroxide</u>	Skin Corrosion/Irritation Category 1A, Acute Toxicity (Oral) Category 4; H314, H302
1.7440-50-8 2.231-159-6 3.Not Available 4.Not Available	0.5-5	<u>copper</u>	Not Classified
1.7782-42-5 2.231-955-3 3.Not Available 4.Not Available	2-4	<u>graphite</u>	Not Classified
1.9002-86-2 2. Not Available 3. Not Available 4. Not Available	1-3	<u>polyvinyl chloride</u>	Not Classified
1.63428-84-2 2. Not Available 3. Not Available 4. Not Available	0.5-3	<u>polyamide</u>	Not Classified
1.7429-90-5 2.231-072-3 3. Not Available 4. Not Available	0.1-0.6	<u>aluminium</u>	Not Classified
1.7440-02-0 2.231-111-4 3.028-002-00-7 4. Not Available	0.05-0.1	<u>nickel</u>	Carcinogenicity Category 2, Skin Sensitizer Category 1, Specific target organ toxicity - repeated exposure Category 1; H351, H317, H372

SECTION 4 FIRST AID MEASURES**4.1. Description of first aid measures**

Eye Contact	Generally not applicable.
Skin Contact	Generally not applicable.
Inhalation	Generally not applicable.
Ingestion	Generally not applicable.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

LR03 (AAA), LR6 (AA), LR14 (Size C), LR20 (Size D), 6LR61 (9V)

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

5.1. Extinguishing media

Metal dust fires need to be smothered with sand, inert dry powders.

DO NOT USE WATER, CO₂ or FOAM.

- ▶ **DO NOT** use halogenated fire extinguishing agents.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	<ul style="list-style-type: none"> ▶ Reacts with acids producing flammable / explosive hydrogen (H₂) gas ▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
-----------------------------	--

5.3. Advice for firefighters

Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves.
Fire/Explosion Hazard	Combustible. Will burn if ignited. Combustion products include: carbon monoxide (CO) carbon dioxide (CO ₂) metal oxides other pyrolysis products typical of burning organic material. May emit corrosive fumes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills	Clean up all spills immediately. Secure load if safe to do so.
Major Spills	Clear area of personnel. Clean up all spills immediately. Wear protective clothing, safety glasses, dust mask, gloves.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling	Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs.
Fire and explosion protection	See section 5
Other information	Store away from incompatible materials.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container	Generally packaging as originally supplied with the article or manufactured item is sufficient to protect against physical hazards. If repackaging is required ensure the article is intact and does not show signs of wear.
Storage incompatibility	Avoid strong acids, acid chlorides, acid anhydrides and chloroformates. Avoid reaction with oxidising agents. Keep dry. Keep away from heat, flame.

7.3. Specific end use(s)

See section 1.2

LR03 (AAA), LR6 (AA), LR14 (Size C), LR20 (Size D), 6LR61 (9V)

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

LR03 (AAA), LR6 (AA), LR14 (Size C), LR20 (Size D), 6LR61 (9V)

8.1. Control parameters

DERIVED NO EFFECT LEVEL (DNEL)

Not Available

PREDICTED NO EFFECT LEVEL (PNEC)


Not Available

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)	manganese dioxide	Manganese and inorganic manganese compounds (as manganese)	0,2; 0,05 mg/m ³	Not Available	Not Available	Not Available
Poland Workplace Maximum Allowable Concentration (Polish)	manganese dioxide	Mangan i jego związki nieorganiczne - w przeliczeniu na Mn- frakcja wdychalna	0,2 mg/m ³	Not Available	Not Available	Not Available
Poland Workplace Maximum Allowable Concentration (Polish)	manganese dioxide	Mangan i jego związki nieorganiczne - w przeliczeniu na Mn- frakcja respirabilna	0,05 mg/m ³	Not Available	Not Available	Not Available
Poland Workplace Maximum Allowable Concentration (Polish)	potassium hydroxide	Wodorotlenek potasu	0,5 mg/m ³	1 mg/m ³	Not Available	Not Available
Poland Workplace Maximum Allowable Concentration (Polish)	copper	Miedź i jej związki nieorganiczne - w przeliczeniu na Cu	0,2 mg/m ³	Not Available	Not Available	Not Available
Poland Workplace Maximum Allowable Concentration - Dust (Polish)	graphite	Pyły grafitu a) pyły grafitu naturalnego: - frakcja wdychalna1	4 mg/m ³	Not Available	Not Available	1) Frakcja wdychalna - frakcja aerozolu wnikażąca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.
Poland Workplace Maximum Allowable Concentration - Dust (Polish)	graphite	Pyły grafitu a) pyły grafitu naturalnego: - frakcja respirabilna2	1 mg/m ³	Not Available	Not Available	2) Frakcja respirabilna - frakcja aerozolu wnikażąca do dróg oddechowych, która stwarza zagrożenie dla zdrowia po zdeponowaniu w obszarze wymiany gazowej.
Poland Workplace Maximum Allowable Concentration (Polish)	graphite	Grafit a) grafit naturalny - frakcja wdychalna	4 mg/m ³	Not Available	Not Available	Not Available
Poland Workplace Maximum Allowable Concentration (Polish)	graphite	Grafit a) grafit naturalny - frakcja respirabilna	1 mg/m ³	Not Available	Not Available	Not Available
Poland Workplace Maximum Allowable Concentration (Polish)	aluminium	Glin metaliczny, glin proszek (niestabilizowany)- frakcja respirabilna	1,2 mg/m ³	Not Available	Not Available	Not Available
Poland Workplace Maximum Allowable Concentration (Polish)	aluminium	Glin metaliczny, glin proszek (niestabilizowany)- frakcja wdychalna	2,5 mg/m ³	Not Available	Not Available	Not Available
Poland Workplace Maximum Allowable Concentration (Polish)	nickel	Nikiel i jego związki, z wyjątkiem tetrakarbonyliku niklu - w przeliczeniu na Ni	0,25 mg/m ³	Not Available	Not Available	Not Available

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Articles or manufactured items, in their original condition, generally don't require engineering controls during handling or in normal use. Exceptions may arise following extensive use and subsequent wear, during recycling or disposal operations where substances, found in the article, may be released to the environment.
8.2.2. Personal protection	
Eye and face protection	<ul style="list-style-type: none"> ▶ Safety glasses with side shields. ▶ Chemical goggles. No special equipment required due to the physical form of the product.
Skin protection	See Hand protection below
Hands/feet protection	<ul style="list-style-type: none"> ▶ Wear chemical protective gloves, e.g. PVC. ▶ Wear safety footwear or safety gumboots, e.g. Rubber
Body protection	See Other protection below
Other protection	<ul style="list-style-type: none"> ▶ Overalls. ▶ P.V.C.

Respiratory protection

Respiratory protection not normally required due to the physical form of the product.

LR03 (AAA), LR6 (AA), LR14 (Size C), LR20 (Size D), 6LR61 (9V)

8.2.3. Environmental exposure controls

See section 12

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Solid		
Physical state	Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Flammable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Not Available	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

9.2. Other information

Not Available

SECTION 10 STABILITY AND REACTIVITY

10.1.Reactivity	See section 7.2
10.2. Chemical stability	Presence of heat source and ignition source Product is considered stable and hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity	iron Oral (rat) LD50: 98600 mg/kg ^[2]
	zinc dermal (rat) LD50: >2000 mg/kg ^[1] Oral (rat) LD50: >2000 mg/kg ^[1]
	copper dermal (rat) LD50: >2000 mg/kg ^[1]
	graphite Oral (rat) LD50: >2000 mg/kg ^[2]
Skin corrosion/irritation	No skin irritation
Serious eye damage/irritation	No serious eye irritation

Continued...

LR03 (AAA), LR6 (AA), LR14 (Size C), LR20 (Size D), 6LR61 (9V)

Respiratory or skin sensitisation	No data available						
Germ cell mutagenicity	No data available						
Carcinogenicity	<table border="1"> <tr> <th>CAS number</th> <th>IARC group</th> </tr> <tr> <td>9002-86-2</td> <td>3</td> </tr> <tr> <td>7440-02-0</td> <td>2B</td> </tr> </table>	CAS number	IARC group	9002-86-2	3	7440-02-0	2B
CAS number	IARC group						
9002-86-2	3						
7440-02-0	2B						
Reproductive toxicity	No data available						
STOT-single exposure	No data available						
STOT-repeated exposure	No data available						
Aspiration hazard	No data available						
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances						

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

LR03 (AAA), LR6 (AA), LR14 (Size C), LR20 (Size D), 6LR61 (9V)	No data available for the mixture
---	-----------------------------------

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
polyvinyl chloride	LOW	LOW

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
polyvinyl chloride	LOW (LogKOW = 1.6233)

12.4. Mobility in soil

Ingredient	Mobility
polyvinyl chloride	LOW (KOC = 23.74)

12.5. Results of PBT and vPvB assessment

	P	B	T
Relevant available data	Not Applicable	Not Applicable	Not Applicable
PBT Criteria fulfilled?	Not Applicable	Not Applicable	Not Applicable

12.6. Other adverse effects

No data available

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product / Packaging disposal	DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Authority for disposal.
Waste treatment options	Not Available
Sewage disposal options	Not Available

SECTION 14 TRANSPORT INFORMATION

Marine Pollutant	NO
-------------------------	----

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable
14.2. UN proper shipping name	Not Applicable

LR03 (AAA), LR6 (AA), LR14 (Size C), LR20 (Size D), 6LR61 (9V)

14.3. Transport hazard class(es)	Class	Not Applicable
	Subrisk	Not Applicable
14.4. Packing group	Not Applicable	
14.5. Environmental hazard	Not Applicable	
14.6. Special precautions for user	Hazard identification (Kemler)	Not Applicable
	Classification code	Not Applicable
	Hazard Label	Not Applicable
	Special provisions	Not Applicable
	Limited quantity	Not Applicable
	Tunnel Restriction Code	Not Applicable

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Shippers of dry cell batteries should review Special Provisions A123 and A199 in the IATA Dangerous Goods Regulations.

14.1. UN number	Not Applicable	
14.2. UN proper shipping name	Not Applicable	
14.3. Transport hazard class(es)	ICAO/IATA Class	Not Applicable
	ICAO / IATA Subrisk	Not Applicable
	ERG Code	Not Applicable
14.4. Packing group	Not Applicable	
14.5. Environmental hazard	Not Applicable	
14.6. Special precautions for user	Special provisions	Not Applicable
	Cargo Only Packing Instructions	Not Applicable
	Cargo Only Maximum Qty / Pack	Not Applicable
	Passenger and Cargo Packing Instructions	Not Applicable
	Passenger and Cargo Maximum Qty / Pack	Not Applicable
	Passenger and Cargo Limited Quantity Packing Instructions	Not Applicable
	Passenger and Cargo Limited Maximum Qty / Pack	Not Applicable

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	
14.2. UN proper shipping name	Not Applicable	
14.3. Transport hazard class(es)	IMDG Class	Not Applicable
	IMDG Subrisk	Not Applicable
14.4. Packing group	Not Applicable	
14.5. Environmental hazard	Not Applicable	
14.6. Special precautions for user	EMS Number	Not Applicable
	Special provisions	Not Applicable
	Limited Quantities	Not Applicable

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	
14.2. UN proper shipping name	Not Applicable	
14.3. Transport hazard class(es)	Not Applicable	Not Applicable
14.4. Packing group	Not Applicable	
14.5. Environmental hazard	Not Applicable	
14.6. Special precautions for user	Classification code	Not Applicable
	Special provisions	Not Applicable
	Limited quantity	Not Applicable
	Equipment required	Not Applicable
	Fire cones number	Not Applicable

14.7. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Continued...

LR03 (AAA), LR6 (AA), LR14 (Size C), LR20 (Size D), 6LR61 (9V)

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

MANGANESE DIOXIDE(1313-13-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)	European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI
Europe EC Inventory	Poland Workplace Maximum Allowable Concentration (Polish)
Europe European Customs Inventory of Chemical Substances	
European Trade Union Confederation (ETUC) Priority List for REACH Authorisation	
European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)	

IRON(7439-89-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Europe EC Inventory	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)
Europe European Customs Inventory of Chemical Substances	

ZINC(7440-66-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Europe EC Inventory
Europe European Customs Inventory of Chemical Substances
European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)

1,4-BUTYLENE TEREPHTHALATE HOMOPOLYMER(26062-94-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Not Applicable

POTASSIUM HYDROXIDE(1310-58-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products - Annex III - List of Substances which cosmetic products must not contain except subject to the restrictions laid down	Poland Workplace Maximum Allowable Concentration (Polish)
Europe EC Inventory	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)
Europe European Customs Inventory of Chemical Substances	European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

COPPER(7440-50-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Europe EC Inventory	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)
Europe European Customs Inventory of Chemical Substances	Poland Workplace Maximum Allowable Concentration (Polish)

GRAPHITE(7782-42-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Europe EC Inventory	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)
Europe European Customs Inventory of Chemical Substances	Poland Workplace Maximum Allowable Concentration - Dust (Polish)
	Poland Workplace Maximum Allowable Concentration (Polish)

POLYVINYL CHLORIDE(9002-86-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Europe European Customs Inventory of Chemical Substances	International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs
--	---

POLYAMIDE(63428-84-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Not Applicable

ALUMINIUM(7429-90-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Europe EC Inventory	Poland Workplace Maximum Allowable Concentration (Polish)
Europe European Customs Inventory of Chemical Substances	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)
European Trade Union Confederation (ETUC) Priority List for REACH Authorisation	

NICKEL(7440-02-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)
Europe EC Inventory	European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI
Europe European Customs Inventory of Chemical Substances	International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs
European Trade Union Confederation (ETUC) Priority List for REACH Authorisation	Poland Workplace Maximum Allowable Concentration (Polish)

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2015/830; Regulation (EC) No 1272/2008 as updated through ATPs.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16 OTHER INFORMATION

Full text Risk and Hazard codes

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.

Continued...

LR03 (AAA), LR6 (AA), LR14 (Size C), LR20 (Size D), 6LR61 (9V)

Other information

Alkaline Battery	Capacity details
AAA-LR03	Load resistance:75ohms, Daily period:24h/d, Cut off voltage:0.8V ;According to as the above the same discharge condition, the capacity of each battery is approximately:1120mAh
AA-LR6	Load resistance:43ohms, Daily period:24h/d, Cut off voltage:0.8V ;According to as the above the same discharge condition, the capacity of each battery is approximately:2600mAh
C-LR14	Load resistance:20 Ohms, Daily period:24h/d, Cut off voltage:0.8V ;According to as the above the same discharge condition, the capacity of each battery is approximately:7200mAh
D-LR20	Load resistance:10 ohms, Daily period:24h/d, Cut off voltage:0.8V ;According to as the above the same discharge condition, the capacity of each battery is approximately:14500mAh
9V-6LR61	Load resistance:620 ohms, Daily period:24h/d, Cut off voltage:4.8V ;According to as the above the same discharge condition, the capacity of each battery is approximately:550mAh
4.5V-3LR12	4600 mAh(20°C+2,60%±15%R.H. load :20Ω. Daily period:24h/d. Cut off voltage:2.7V
LR1-N	1000mAH (S.T. 25mA constant-current discharge to 0.8 V)

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

PC—TWA: Permissible Concentration-Time Weighted Average

PC—STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index